


Chart 12347

NM 21/01



## SECTION I

NM 21/01

Chart 11466

NM 21/01

LAKE WORTH INLET CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF FEB 2001 AND SURVEYS TO FEB 2001							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	36.5	37.0	36.0	2-01	400-300	.72	35
LAKE WORTH INNER CHANNEL	33.6	35.3	34.2	2-01	300-500	.42	33
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

Chart 14846 (Page 1)

NM 21/01

TOLEDO HARBOR CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO NOV 2000								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT GREAT LAKES LOW WATER DATUM (LWD)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH LWD (FEET)
ENTRANCE CHANNEL TO BUOY 49	19.2	26.3	25.9	21.1	3,4-98;3,7-99;5,11-00	500	18.0	28
MAUMEE MOORING BASIN	15.4	12.3	10.4	6.0	4-00	450	1.40	28
THENCE TO BUOY 62 MAUMEE RIVER CHANNEL	22.1	21.7	23.6	21.6	4,10-00	400	2.65	27
RIVERSIDE TURNING BASIN	20.6	19.1	16.4	12.6	10-00	350	0.25	20
THENCE TO ANTHONY WAYNE FIXED BRIDGE	21.5	23.9	25.3	23.1	10-00	200	2.51	27
THENCE TO BUOY 67	24.9	26.2	24.5	27.1	10-00	200	1.08	27
TURNING BASIN	27.4	24.9	25.1	20.8	10-00	260-630	.27	27
THENCE TO UPSTREAM LIMIT OF PROJECT	6.3	8.4	9.8	9.7	6,10-00	200	.47	25
TURNING BASIN	10.8	11.1	11.9	11.5	10-00	835	.16	18
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

Chart 14847

NM 21/01

TOLEDO HARBOR CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO NOV 2000								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT GREAT LAKES LOW WATER DATUM (LWD)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH LWD (FEET)
ENTRANCE CHANNEL TO BUOY 49	19.2	26.3	25.9	21.1	3,4-98;3,7-99;5,11-00	500	18.0	28
MAUMEE MOORING BASIN	15.4	12.3	10.4	6.0	4-00	450	1.40	28
THENCE TO BUOY 62 MAUMEE RIVER CHANNEL	22.1	21.7	23.6	21.6	4,10-00	400	2.65	27
RIVERSIDE TURNING BASIN	20.6	19.1	16.4	12.6	10-00	350	0.25	20
THENCE TO ANTHONY WAYNE FIXED BRIDGE	21.5	23.9	25.3	23.1	10-00	200	2.51	27
THENCE TO BUOY 67	24.9	26.2	24.5	27.1	10-00	200	1.08	27
TURNING BASIN	27.4	24.9	25.1	20.8	10-00	260-630	.27	27
THENCE TO UPSTREAM LIMIT OF PROJECT	6.3	8.4	9.8	9.7	6,10-00	200	.47	25
TURNING BASIN	10.8	11.1	11.9	11.5	10-00	835	.16	18
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

# SECTION I

NM 21/01

Chart 18773

NM 21/01

SAN DIEGO HARBOR CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO NOV 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
SAN DIEGO HARBOR ENTRANCE CHANNEL	45.9	46.9	47.2	11-99	800	2.1	42
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							